ELSEVIER

Hearing Research 113 (1997) 263–264

HEARING RESEARCH

# Author Index Volume 113

Abrams, R.M., see Huang, X. (113) 173
Aitkin, L., Cochran, S., Frost, S., Martsi-McClintock, A. and Masterton, B.
Features of the auditory development of the short-tailed Brazilian opossum, *Monodelphis domestica*: evoked responses, neonatal vocalizations and synapses in the inferior colliculus (113) 69
Ando, M., see Takeuchi, S. (113) 99
Antonelli, P.J., see Huang, X. (113) 173

Bobbin, R.P., Chu, S.H.B., Skellett, R.A., Campbell, J. and Fallon, M.
Cytotoxicity and mitogenicity of adenosine triphosphate in the cochlea (113) 155

Campbell, J., see Bobbin, R.P. (113) 155
Chambers, P.L., see Leake, P.A. (113) 117
Chays, A., see Maison, S. (113) 89
Chu, S.H.B., see Bobbin, R.P. (113) 155
Cochran, S., see Aitkin, L. (113) 69
Collet, L., see Maison, S. (113) 89
Cotanche, D.A., see Ofsie, M.S. (113) 207
Culling, J.F., see McPartland, J.L. (113) 165

Ding, D.-L., see Zheng, X.-Y. (113) 76

Edds-Walton, P.L., see Fay, R.R. (113) 235
Eggermont, J.J., see Kenmochi, M. (113) 110

Fallon, M., see Bobbin, R.P. (113) 155
Fay, R.R., and Edds-Walton, P.L.
Diversity in frequency response properties of saccular afferents of the toadfish, *Opsanus tau* (113) 235
Finley, C.C., see van den Honert, C. (113) 140
Frank, G., and Kössl, M.
Acoustical and electrical biasing of the cochlea partition. Effects on the acoustic two tone distortions $f_2-f_1$ and $2f_1-f_2$ (113) 57
Frijns, J.H.M., see Schoonhoven, R. (113) 247
Frost, S., see Aitkin, L. (113) 69
Fukazawa, T.,
A model of cochlear micromechanics (113) 182

Gerhardt, K.J., see Huang, X. (113) 173
Gill, S.S., and Salt, A.N.
Quantitative differences in endolymphatic calcium and endocochlear potential between pigmented and albino guinea pigs (113) 191
Guillemot, J.-P., see Poirier, P. (113) 1

Henderson, D., see Hu, B.H. (113) 198
Henderson, D., see Zheng, X.-Y. (113) 76
Hennig, A.K., see Ofsie, M.S. (113) 207
Hu, B.H., Zheng, X.Y., McFadden, S.L., Kopke, R.D. and Henderson, D.
R-phenylisopropyladenosine attenuates noise-induced hearing loss in the chinchilla (113) 198
Huang, X., Gerhardt, K.J., Abrams, R.M. and Antonelli, P.J.
Temporary threshold shifts induced by low-pass and high-pass filtered noises in fetal sheep in utero (113) 173

Irimajiri, A., see Takeuchi, S. (113) 99

Jiang, H., see Poirier, P. (113) 1

Kenmochi, M., and Eggermont, J.J.
Salicylate and quinine affect the central nervous system (113) 110
Kössl, M., see Frank, G. (113) 57
Kopke, R.D., see Hu, B.H. (113) 198
Kuntz, A.L., see Leake, P.A. (113) 117

Leake, P.A., Kuntz, A.L., Moore, C.M. and Chambers, P.L.
Cochlear pathology induced by aminoglycoside ototoxicity during postnatal maturation in cats (113) 117
Leonova, E.V., and Raphael, Y.
Organization of cell junctions and cytoskeleton in the reticular lamina in normal and ototoxically damaged organ of Corti (113) 14
Lepore, F., see Poirier, P. (113) 1
Lukashkin, A.N., and Russell, I.J.
The voltage dependence of the mechanoelectrical transducer modifies low frequency outer hair cell electromotility in vitro (113) 133

Maison, S., Micheyl, C., Chays, A. and Collet, L.
Medial olivocochlear system stabilizes active cochlear micromechanical properties in humans (113) 89
Martsi-McClintock, A., see Aitkin, L. (113) 69
Masterton, B., see Aitkin, L. (113) 69
McFadden, S.L., see Hu, B.H. (113) 198
McFadden, S.L., see Zheng, X.-Y. (113) 76
McPartland, J.L., Culling, J.F. and Moore, D.R.
Changes in lateralization and loudness judgements during one week of unilateral ear plugging (113) 165
Messana, E.P., see Ofsie, M.S. (113) 207
Micheyl, C., see Maison, S. (113) 89
Mire, P., and Watson, G.M.
Mechanotransduction of hair bundles arising from multicellular complexes in anemones (113) 224
Moore, C.M., see Leake, P.A. (113) 117
Moore, D.R., see McPartland, J.L. (113) 165

Ofsie, M.S., Hennig, A.K., Messana, E.P. and Cotanche, D.A.
Sound damage and gentamicin treatment produce different patterns of damage to the efferent innervation of the chick cochlea (113) 207

Poirier, P., Jiang, H., Lepore, F. and Guillemot, J.-P.

Positional, directional and speed selectivities in the primary auditory cortex of the cat (113) 1
Prijs, V.F., see Schoonhoven, R. (113) 247

Raphael, Y., see Leonova, E.V. (113) 14
Rich, N.C., see Temchin, A.N. (113) 29
Ruggero, M.A., see Temchin, A.N. (113) 29
Russell, I.J., see Lukashkin, A.N. (113) 133

Salt, A.N., see Gill, S.S. (113) 191
Schoonhoven, R., Prijs, V.F. and Frijns, J.H.M.
Transmitter release in inner hair cell synapses: a model analysis of spontaneous and driven rate properties of cochlear nerve fibres (113) 247
Skellett, R.A., see Bobbin, R.P. (113) 155

Takeuchi, S., Ando, M. and Irimajiri, A.
Changes in the volume of marginal cells induced by isotonic '$Cl^-$ depletion/restoration': involvement of the $Cl^-$ channel and $Na^+$-$K^+$-$Cl^-$ cotransporter (113) 99
Temchin, A.N., Rich, N.C. and Ruggero, M.A.
Low-frequency suppression of auditory nerve responses to characteristic frequency tones (113) 29

Van den Honert, C., Finley, C.C. and Xue, S.
Microstimulation of auditory nerve for estimating cochlear place of single fibers in a deaf ear (113) 140

Watson, G.M., see Mire, P. (113) 224

Xue, S., see van den Honert, C. (113) 140

Zheng, X.-Y., Ding, D.-L., McFadden, S.L. and Henderson, D.
Evidence that inner hair cells are the major source of cochlear summating potentials (113) 76
Zheng, X.Y., see Hu, B.H. (113) 198

ELSEVIER

Hearing Research 113 (1997) 265–268

HEARING RESEARCH

# Subject Index Volume 113

**Acoustic two tone distortion**
Low frequency biasing; Electrical biasing; DC current; Cochlear amplifier; Gain; Operating point (Frank, G. (113) 57)

**Active cochlear micromechanism**
Medial olivocochlear system; Human; Vestibular neurotomy; Outer hair cell; Otoacoustic emission (Maison, S. (113) 89)

**Albinism**
Cochlea; Endolymph; Calcium; Melanin; Endocochlear potential (Gill, S.S. (113) 191)

**Auditory adaptation**
Binaural plasticity; Conductive hearing loss (McPartland, J.L. (113) 165)

**Auditory brainstem response**
Fetal sheep; Noise; Temporary threshold shift (Huang, X. (113) 173)

**Auditory nerve**
Biasing; Modulation; Rate suppression; Basilar membrane; Inner hair cells; Cochlea; Chinchilla (Temchin, A.N. (113) 29)

Fish; Hearing; Reverse correlation (Fay, R.R. (113) 235)

Inner hair cell; Synaptic transmission; Spontaneous activity; Rate-intensity function; Rate threshold (Schoonhoven, R. (113) 247)

**Basilar membrane**
Auditory nerve; Biasing; Modulation; Rate suppression; Inner hair cells; Cochlea; Chinchilla (Temchin, A.N. (113) 29)

**Best frequency**
Marsupial; Development; Hearing onset; Vocal spectrum; Synaptogenesis (Aitkin, L. (113) 69)

**Biasing**
Auditory nerve; Modulation; Rate suppression; Basilar membrane; Inner hair cells; Cochlea; Chinchilla (Temchin, A.N. (113) 29)

**Binaural plasticity**
Auditory adaptation; Conductive hearing loss (McPartland, J.L. (113) 165)

**Calcium**
Cochlea; Endolymph; Melanin; Albinism; Endocochlear potential (Gill, S.S. (113) 191)

**Cat**
Free-field stimulation; Static-sound source; Moving-sound source; Primary auditory cortex (Poirier, P. (113) 1)

Primary auditory cortex; Single unit; Local field potential; Salicylate; Quinine; Tinnitus (Kenmochi, M. (113) 110)

Immunofluorescence; E-cadherin; Cytoskeleton; Organ of Corti; Ototoxicity; Guinea pig (Leonova, E.V. (113) 14)

**Cell volume**
$Cl^-$ channel; $Na^+$-$K^+$-$Cl^-$ cotransporter; Inner ear; Gerbil (Takeuchi, S. (113) 99)

**Characteristic frequency**
Cochlear implant; Single unit; Cochlear place; Tuning curve; Intermodulation; Spatial tuning (Van den Honert, C. (113) 140)

**Chinchilla**
Auditory nerve; Biasing; Modulation; Rate suppression; Basilar membrane; Inner hair cells; Cochlea (Temchin, A.N. (113) 29)

Organ of Corti; Noise; R-phenylisopropyladenosine (Hu, B.H. (113) 198)

**Choline acetyltransferase**
Regeneration; Gentamicin; Sound damage; Neurofilament; Synapsin (Ofsie, M.S. (113) 207)

**$Cl^-$ channel**
Cell volume; $Na^+$-$K^+$-$Cl^-$ cotransporter; Inner ear; Gerbil (Takeuchi, S. (113) 99)

**Cochlea**
Auditory nerve; Biasing; Modulation; Rate suppression; Basilar membrane; Inner hair cells; Chinchilla (Temchin, A.N. (113) 29)

Outer hair cell; Hair cell transducer; Electromotility; Cochlear amplifier (Lukashkin, A.N. (113) 133)

Endolymph; Calcium; Melanin; Albinism; Endocochlear potential (Gill, S.S. (113) 191)

Acoustic two tone distortion; Low frequency biasing; Electrical biasing; DC current; Gain; Operating point (Frank, G. (113) 57)

Cochlea; Outer hair cell; Hair cell transducer; Electromotility (Lukashkin, A.N. (113) 133)

**Cochlear implant**
Single unit; Cochlear place; Characteristic frequency; Tuning curve; Intermodulation; Spatial tuning (van den Honert, C. (113) 140)

**Cochlear model**
Computer simulation; Organ of Corti (Fukazawa, T. (113) 182)

**Cochlear place**
Cochlear implant; Single unit; Characteristic frequency; Tuning curve; Intermodulation; Spatial tuning (van den Honert, C. (113) 140)

**Cochlear potential**
Receptor; Cytotoxin; Histology; Fibrocyte; Mitogen (Bobbin, R.P. (113) 155)

**Computer simulation**
Cochlear model; Organ of Corti (Fukazawa, T. (113) 182)

**Conductive hearing loss**
Binaural plasticity; Auditory adaptation (McPartland, J.L. (113) 165)

**Congenital deafness**
Development; Hair cells; Spiral ganglion; Marginal pillars (Leake, P.A. (113) 117)

**Cytoskeleton**
Immunofluorescence; E-cadherin; Catenin; Organ of Corti; Ototoxicity; Guinea pig (Leonova, E.V. (113) 14)

**Cytotoxin**
Receptor; Cochlear potential; Histology; Fibrocyte; Mitogen (Bobbin, R.P. (113) 155)

**DC current**
Acoustic two tone distortion; Low frequency biasing; Electrical biasing; Cochlear amplifier; Gain; Operating point (Frank, G. (113) 57)

**Development**
Marsupial; Hearing onset; Vocal spectrum; Best frequency; Synaptogenesis (Aitkin, L. (113) 69)

Congenital deafness; Hair cells; Spiral ganglion; Marginal pillars (Leake, P.A. (113) 117)

**E-cadherin**
Immunofluorescence; Catenin; Cytoskeleton; Organ of Corti; Ototoxicity; Guinea pig (Leonova, E.V. (113) 14)

**Electrical biasing**
Acoustic two tone distortion; Low frequency biasing; DC current; Cochlear amplifier; Gain; Operating point (Frank, G. (113) 57)

**Electrocochleography**
VIIIth nerve; Inner ear; Receptor potential (Zheng, X.-Y. (113) 76)

**Electromotility**
Cochlea; Outer hair cell; Hair cell transducer; Cochlear amplifier (Lukashkin, A.N. (113) 133)

**Endocochlear potential**
Cochlea; Endolymph; Calcium; Melanin; Albinism (Gill, S.S. (113) 191)

**Endolymph**
Cochlea; Calcium; Melanin; Albinism; Endocochlear potential (Gill, S.S. (113) 191)

**Fetal sheep**
Auditory brainstem response; Noise; Temporary threshold shift (Huang, X. (113) 173)

**Fibrocyte**
Receptor; Cochlear potential; Cytotoxin; Histology; Mitogen (Bobbin, R.P. (113) 155)

**Fish**
Hearing; Auditory nerve; Reverse correlation (Fay, R.R. (113) 235)

**Free-field stimulation**
Static-sound source; Moving-sound source; Cat; Primary auditory cortex (Poirier, P. (113) 1)

**Gain**
Acoustic two tone distortion; Low frequency biasing; Electrical biasing; DC current; Cochlear amplifier; Operating point (Frank, G. (113) 57)

**Gentamicin**
Regeneration; Sound damage; Choline acetyltransferase; Neurofilament; Synapsin (Ofsie, M.S. (113) 207)

**Gerbil**
Cell volume; $Cl^-$ channel; $Na^+$-$K^+$-$Cl^-$ cotransporter; Inner ear (Takeuchi, S. (113) 99)

**Guinea pig**
Immunofluorescence; E-cadherin; Catenin; Cytoskeleton; Organ of Corti; Ototoxicity (Leonova, E.V. (113) 14)

**Hair cell**
Mechanotransduction; Loose-patch recording; Sea anemone (Mire, P. (113) 224)

Cochlea; Outer hair cell; Electromotility; Cochlear amplifier (Lukashkin, A.N. (113) 133)

**Hair cells**
Congenital deafness; Development; Spiral ganglion; Marginal pillars (Leake, P.A. (113) 117)

**Hearing**
Fish; Auditory nerve; Reverse correlation (Fay, R.R. (113) 235)

Marsupial; Development; Vocal spectrum; Best frequency; Synaptogenesis (Aitkin, L. (113) 69)

**Histology**
Receptor; Cochlear potential; Cytotoxin; Fibrocyte; Mitogen (Bobbin, R.P. (113) 155)

**Human**
Medial olivocochlear system; Active cochlear micromechanism; Vestibular neurotomy; Outer hair cell; Otoacoustic emission (Maison, S. (113) 89)

**Immunofluorescence**
E-cadherin; Catenin; Cytoskeleton; Organ of Corti; Ototoxicity; Guinea pig (Leonova, E.V. (113) 14)

**Inner ear**
VIIIth nerve; Receptor potential; Electrocochleography (Zheng, X.-Y. (113) 76)

Cell volume; $Cl^-$ channel; $Na^+$-$K^+$-$Cl^-$ cotransporter; Gerbil (Takeuchi, S. (113) 99)

**Inner hair cell**
Synaptic transmission; Auditory nerve; Spontaneous activity; Rate-intensity function; Rate threshold (Schoonhoven, R. (113) 247)

Auditory nerve; Biasing; Modulation; Rate suppression; Basilar membrane; Cochlea; Chinchilla (Temchin, A.N. (113) 29)

**Intermodulation**
Cochlear implant; Single unit; Cochlear place; Characteristic frequency; Tuning curve; Spatial tuning (van den Honert, C. (113) 140)

**Local field potential**
Cat; Primary auditory cortex; Single unit; Salicylate; Quinine; Tinnitus (Kenmochi, M. (113) 110)

**Loose-patch recording**
Mechanotransduction; Hair cell; Sea anemone (Mire, P. (113) 224)

**Low frequency biasing**
Acoustic two tone distortion; Electrical biasing; DC current; Cochlear amplifier; Gain; Operating point (Frank, G. (113) 57)

**Marginal pillars**
Congenital deafness; Development; Hair cells; Spiral ganglion (Leake, P.A. (113) 117)

**Marsupial**
Development; Hearing onset; Vocal spectrum; Best frequency; Synaptogenesis (Aitkin, L. (113) 69)

**Mechanotransduction**
Hair cell; Loose-patch recording; Sea anemone (Mire, P. (113) 224)

**Medial olivocochlear system**
Human; Active cochlear micromechanism; Vestibular neurotomy; Outer hair cell; Otoacoustic emission (Maison, S. (113) 89)

**Melanin**
Cochlea; Endolymph; Calcium; Albinism; Endocochlear potential (Gill, S.S. (113) 191)

**Mitogen**
Receptor; Cochlear potential; Cytotoxin; Histology; Fibrocyte (Bobbin, R.P. (113) 155)

**Modulation**
Auditory nerve; Biasing; Rate suppression; Basilar membrane; Inner hair cells; Cochlea; Chinchilla (Temchin, A.N. (113) 29)

**Moving-sound source**
Free-field stimulation; Static-sound source; Cat; Primary auditory cortex (Poirier, P. (113) 1)

**$Na^+$-$K^+$-$Cl^-$ cotransporter**
Cell volume; $Cl^-$ channel; Inner ear; Gerbil (Takeuchi, S. (113) 99)

**Neurofilament**
Regeneration; Gentamicin; Sound damage; Choline acetyltransferase; Synapsin (Ofsie, M.S. (113) 207)

**Noise**
Auditory brainstem response; Fetal sheep; Temporary threshold shift (Huang, X. (113) 173)

Organ of Corti; Chinchilla; R-phenylisopropyladenosine (Hu, B.H. (113) 198)

**Operating point**
Acoustic two tone distortion; Low frequency biasing; Electrical biasing; DC current; Cochlear amplifier; Gain (Frank, G. (113) 57)

**Organ of Corti**
Immunofluorescence; E-cadherin; Catenin; Cytoskeleton; Ototoxicity; Guinea pig (Leonova, E.V. (113) 14)

Cochlear model; Computer simulation (Fukazawa, T. (113) 182)

Chinchilla; Noise; R-phenylisopropyladenosine (Hu, B.H. (113) 198)

**Otoacoustic emission**
Medial olivocochlear system; Human; Active cochlear micromechanism; Vestibular neurotomy; Outer hair cell (Maison, S. (113) 89)

**Ototoxicity**
Immunofluorescence; E-cadherin; Catenin; Cytoskeleton; Organ of Corti; Guinea pig (Leonova, E.V. (113) 14)

**Outer hair cell**
Cochlea; Hair cell transducer; Electromotility; Cochlear amplifier (Lukashkin, A.N. (113) 133)

Medial olivocochlear system; Human; Active cochlear micromechanism; Vestibular neurotomy; Otoacoustic emission (Maison, S. (113) 89)

**R-Phenylisopropyladenosine**
Organ of Corti; Chinchilla; Noise (Hu, B.H. (113) 198)

**Primary auditory cortex**
Free-field stimulation; Static-sound source; Moving-sound source; Cat (Poirier, P. (113) 1)

Cat; Single unit; Local field potential; Salicylate; Quinine; Tinnitus (Kenmochi, M. (113) 110)

**Quinine**
Cat; Primary auditory cortex; Single unit; Local field potential; Salicylate; Tinnitus (Kenmochi, M. (113) 110)

**Rate suppression**
Auditory nerve; Biasing; Modulation; Basilar membrane; Inner hair cells; Cochlea; Chinchilla (Temchin, A.N. (113) 29)

**Rate threshold**
Inner hair cell; Synaptic transmission; Auditory nerve; Spontaneous activity; Rate-intensity function (Schoonhoven, R. (113) 247)

**Rate-intensity function**
Inner hair cell; Synaptic transmission; Auditory nerve; Spontaneous activity; Rate threshold (Schoonhoven, R. (113) 247)

**Receptor**
Cochlear potential; Cytotoxin; Histology; Fibrocyte; Mitogen (Bobbin, R.P. (113) 155)

VIIIth nerve; Inner ear; Electrocochleography (Zheng, X.-Y. (113) 76)

**Regeneration**
Gentamicin; Sound damage; Choline acetyltransferase; Neurofilament; Synapsin (Ofsie, M.S. (113) 207)

**Reverse correlation**
Fish; Hearing; Auditory nerve (Fay, R.R. (113) 235)

**Salicylate**
Cat; Primary auditory cortex; Single unit; Local field potential; Quinine; Tinnitus (Kenmochi, M. (113) 110)

**Sea anemone**
Mechanotransduction; Hair cell; Loose-patch recording (Mire, P. (113) 224)

**Single unit**
Cochlear implant; Cochlear place; Characteristic frequency; Tuning curve; Intermodulation; Spatial tuning (van den Honert, C. (113) 140)

Cat; Primary auditory cortex; Local field potential; Salicylate; Quinine; Tinnitus (Kenmochi, M. (113) 110)

**Sound damage**
Regeneration; Gentamicin; Choline acetyltransferase; Neurofilament; Synapsin (Ofsie, M.S. (113) 207)

**Spatial tuning**
Cochlear implant; Single unit; Cochlear place; Characteristic frequency; Tuning curve; Intermodulation (van den Honert, C. (113) 140)

**Spiral ganglion**
Congenital deafness; Development; Hair cells; Marginal pillars (Leake, P.A. (113) 117)

**Spontaneous activity**
Inner hair cell; Synaptic transmission; Auditory nerve; Rate-intensity function; Rate threshold (Schoonhoven, R. (113) 247)

**Static-sound source**
Free-field stimulation; Moving-sound source; Cat; Primary auditory cortex (Poirier, P. (113) 1)

**Synapsin**
Regeneration; Gentamicin; Sound damage; Choline acetyltransferase; Neurofilament (Ofsie, M.S. (113) 207)

**Synaptic transmission**
Inner hair cell; Auditory nerve; Spontaneous activity; Rate-intensity function; Rate threshold (Schoonhoven, R. (113) 247)

**Synaptogenesis**
Marsupial; Development; Hearing onset; Vocal spectrum; Best frequency (Aitkin, L. (113) 69)

**Temporary threshold shift**
Auditory brainstem response; Fetal sheep; Noise (Huang, X. (113) 173)

**Tinnitus**
Cat; Primary auditory cortex; Single unit; Local field potential; Salicylate; Quinine (Kenmochi, M. (113) 110)

**Tuning curve**
Cochlear implant; Single unit; Cochlear place; Characteristic frequency; Intermodulation; Spatial tuning (van den Honert, C. (113) 140)

**Vestibular neurotomy**
Medial olivocochlear system; Human; Active cochlear micromechanism; Outer hair cell; Otoacoustic emission (Maison, S. (113) 89)

**VIIIth nerve**
Inner ear; Receptor potential; Electrocochleography (Zheng, X.-Y. (113) 76)

**Vocal spectrum**
Marsupial; Development; Hearing onset; Best frequency; Synaptogenesis (Aitkin, L. (113) 69)